

Safety Data Sheet dated 22/7/2015, version 3 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification: Trade name: idrosmalto lucido Trade code: .137 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Paint ; professional use - for the final consumer Uses advised against: No specific exclusion are known 1.3. Details of the supplier of the safety data sheet Company: ARD - F.LLI RACCANELLO SPA Prima strada, 13 Zona Industriale Nord 35129 PADOVA - ITALY Tel. +390498060000 Fax. +39049773749 ( only available during office hours ) Competent person responsible for the safety data sheet: tecnica@ard-raccanello.it 1.4. Emergency telephone number Tel. +390498060000 Fax. +39049773749 ( only available during office hours ) Centro antiveleni - Ospedale Niguarda - Milano - tel. +390266101029 Centro antiveleni – Policlinico A.Gemelli – Roma - tel. +39063054343 Centro antiveleni - Ospedale Cardarelli - Napoli - tel.+390817472870 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP) Aquatic Chronic 3, Harmful to aquatic life with long lasting effects. Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements Symbols: None Hazard statements: H412 Harmful to aquatic life with long lasting effects. Precautionary statements: P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions: None Contents Octhilinone (ISO); 2-octyl-2H-isothiazol-3-one: May produce an allergic reaction. Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) : May produce an allergic reaction. Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards SECTION 3: Composition/information on ingredients 3.1. Substances The product is not considered as a substance. Data not available 3.2. Mixtures Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification: 0.5% - 0.99% 2-(2-Butoxyethoxy)ethanol REACH No.: 01-2119475104-44, Index number: 603-096-00-8, CAS: 112-34-5, EC: 203-961-6 1 3.3/2 Eye Irrit. 2 H319 448 ppm Octhilinone (ISO); 2-octyl-2H-isothiazol-3-one Index number: 613-112-00-5, CAS: 26530-20-1, EC: 247-761-7 3.2/1B Skin Corr. 1B H314 🔆 3.3/1 Eye Dam. 1 H318 13.4.2/1A Skin Sens. 1A H317

- 4.1/A1 Aquatic Acute 1 H400 M=10.
  - 4.1/C1 Aquatic Chronic 1 H410 M=10.

  - 3.1/3/Dermal Acute Tox. 3 H311
  - à 3.1/3/Inhal Acute Tox. 3 H331
  - 1302 3.1/4/Oral Acute Tox. 4 H302

.137/3 Page n. 1 of 7

11 ppm Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

Index number: 613-167-00-5, CAS: 55965-84-9

- 3.2/1B Skin Corr. 1B H314
  3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317
- 4.1/A1 Aquatic Acute 1 H400 M=10.
- 4.1/C1 Aquatic Chronic 1 H410 M=10.
- 🔆 3.1/3/Oral Acute Tox. 3 H301
- 🔆 3.1/3/Dermal Acute Tox. 3 H311
- 🔶 3.1/3/Inhal Acute Tox. 3 H331

### SECTION 4: First aid measures

4.1. Description of first aid measures In case of skin contact: Wash with plenty of water and soap. In case of eyes contact: Rinse immediately with plenty of water and seek medical advice. In case of Ingestion: Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY. In case of Inhalation: Remove casualty to fresh air and keep warm and at rest. 4.2. Most important symptoms and effects, both acute and delayed No known symptoms to date 4.3. Indication of any immediate medical attention and special treatment needed Treatment: Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media: Irrelevant, the product is not flammable. Extinguishing media which must not be used for safety reasons: None in particular. 5.2. Special hazards arising from the substance or mixture May produce toxic fumes of carbon monoxide if burning. Do not inhale explosion and combustion gases. 5.3. Advice for firefighters Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove all sources of ignition. Remove persons to safety. See protective measures under point 7 and 8. 6.2. Environmental precautions Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. 6.3. Methods and material for containment and cleaning up Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water. 6.4. Reference to other sections See also section 8 and 13 SECTION 7: Handling and storage 7.1. Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. Don't use empty container before they have been cleaned. Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment. 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s) None in particular

.137/3 Page n. 2 of 7

SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Exposure limit(s):

2-(2-Butoxyethoxy)ethanol - CAS: 112-34-5

OEL EU - LTE(8h): 67.5 mg/m3, 10 ppm - STE: 101.2 mg/m3, 15 ppm - Notes: Bold-type: Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography)

TLV ĂCĠIH - LTE(8h): 66 mg/m3, 10 ppm - Notes: (IFV) - Hematologic, liver and kidney eff

**DNEL** Values:

2-(2-Butoxyethoxy)ethanol - CAS: 112-34-5 Worker Professional: 67.5 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 67.5 mg/kg - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Professional: 20 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects Exposure: Human Dermal - Frequency: Long Term, local effects - Endpoint: Hazard Identified but no value available

**PNEC** Values:

2-(2-Butoxyethoxy)ethanol - CAS: 112-34-5

Target: Fresh Water - Value: 1 mg/l Target: Marine water - Value: 0.1 mg/l

- Target: Freshwater sediments Value: 4 mg/kg
- Target: Marine water sediments Value: 0.4 mg/kg
- Target: Food chain Value: 56 mg/kg
- 8.2. Exposure controls

# Eye/ face protection:

Not needed for normal use. Anyway, operate according good working practices.

Skin protection

- a) protection for hands:
- One-time gloves.

b) other:

No special precaution must be adopted for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

### None

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Fluid dispersion various colors		
Odour:	Characteristic: slightly acrylic		
Odour threshold:	Data not available		
pH:	8.9		20°C
Melting point / freezing point:	Data not available		
Initial boiling point and boiling range:	Data not available		
Flash point:	Not flammable		
Evaporation rate:	Data not available		
Solid/gas flammability:	Data not available		
Upper/lower flammability or explosive limits:	Data not available		
Vapour pressure:	Data not available		
Vapour density:	Data not available		
Relative density:	1025 - 1250 g/l	UNI EN ISO 2811-1	20°C
Solubility in water:	Miscible		

Solubility in oil:	Insoluble		
Partition coefficient (n-octanol/ water):	Data not available		
Auto-ignition temperature:	Data not available		
Decomposition temperature:	Data not available		
Viscosity:	6500 - 8500 cP	ISO 2555	20°C
Explosive properties:	Data not available		
Oxidizing properties:	Data not available		

### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Data not available		
Fat Solubility:	Data not available		
Conductivity:	Data not available		
Substance Groups relevant properties:	Data not available		

Note: The data herein refer to QC when the product was put on the market.

Note: The data herein refer to QC when the product was put on the market.
SECTION 10: Stability and reactivity
10.1. Reactivity
Stable under normal conditions
10.2. Chemical stability
Stable under normal conditions
10.3. Possibility of hazardous reactions
None
10.4. Conditions to avoid
Stable under normal conditions.
10.5. Incompatible materials
None in particular.
10.6. Hazardous decomposition products
None.
SECTION 11: Toxicological information
11.1. Information on toxicological effects
Toxicological information of the mixture:
Data not available
Toxicological information of the main substances found in the mixture:
2-(2-Butoxyethoxy)ethanol - CAS: 112-34-5
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit = 2764 mg/kg
b) skin corrosion/irritation:
Test: Skin Irritant - Species: Rabbit Positive
c) serious eye damage/irritation:
Test: Eye Irritant - Species: Rabbit Positive
d) respiratory or skin sensitisation:
Test: Skin Sensitization Negative
e) germ cell mutagenicity:
Test: Mutagenesis Negative - Notes: OECD 471
g) reproductive toxicity:
Test: Reproductive Toxicity Negative
Octhilinone (ISO); 2-octyl-2H-isothiazol-3-one - CAS: 26530-20-1
a) acute toxicity:
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg
b) skin corrosion/irritation:
Test: Skin Corrosive Positive
c) serious eye damage/irritation:
Test: Eye Corrosive Positive
d) respiratory or skin sensitisation:
Test: Skin Sensitization Positive
Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no.
220-239-6] (3:1)
- CAS: 55965-84-9
a) acute toxicity:
.137/3
Page n. 4 of 7

- Test: LD50 Route: Skin Species: Rabbit = 660 mg/kg
  - Test: LC50 Route: Inhalation Aerosols Species: Rat = 2.36 mg/L Duration: 4h
- d) respiratory or skin sensitisation:
- Test: Skin Sensitization Positive e) germ cell mutagenicity:
- Test: Mutagenesis Negative
- f) carcinogenicity:
  - Test: Carcinogenicity Negative
- g) reproductive toxicity:
  - Test: Reproductive Toxicity Negative

### If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.: a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

- e) germ cell mutagenicity;
- f) carcinogenicity;

g) reproductive toxicity;

- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.
- SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. 2-(2-Butoxyethoxy)ethanol - CAS: 112-34-5 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Daphnia > 100 mg/L - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Daphnia = 2850 mg/L - Duration h: 24 - Notes: Daphnia magna Endpoint: IC50 - Species: Algae > 100 mg/L - Duration h: 96 - Notes: Scenedesmus subspicatus Endpoint: LC50 - Species: Fish = 1300 mg/L - Duration h: 96 - Notes: Scenedesmus SUBSPIC Endpoint: LC50 - Species: Fish = 1300 mg/L - Duration h: 96 - Notes: Lepomis macrochirus Endpoint: LC50 - Species: Fish = 2700 mg/L - Duration h: 24 - Notes: Carassius auratus Octhilinone (ISO); 2-octyl-2H-isothiazol-3-one - CAS: 26530-20-1 a) Aquatic acute toxicity: Endpoint: IC50 - Species: Algae = 0.084 mg/L - Duration h: 72 - Notes: Scenedesmus subspicatus- OECD 201 Endpoint: EC50 - Species: Daphnia = 0.42 mg/L - Duration h: 48 - Notes: Daphnia magna- OECD 202 Endpoint: LC50 - Species: Fish = 0.036 mg/L - Duration h: 96 - Notes: Oncorhynchus mykiss - OECD 203 Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) - CAS: 55965-84-9 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Daphnia = 0.1 mg/L - Duration h: 48 - Notes: Daphnia magna- OECD 202 Endpoint: EC50 - Species: Algae = 0.048 mg/L - Duration h: 72 - Notes: Pseudokirchnella subcapitata- OECD 201 12089 Endpoint: EC50 - Species: Fish = 0.22 mg/L - Duration h: 96 - Notes: Oncorhynchus mykiss- OECD 203 12.2. Persistence and degradability Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) - CAS: 55965-84-9

Biodegradability: Readily biodegradable - Test: Oxygen consumption - Duration: Data not available - %: Data not available - Notes: OECD 301 D (Closed-Bottle-Test)

- 12.3. Bioaccumulative potential
  - Reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)
    - CAS: 55965-84-9
      - Bioaccumulation: Not bioaccumulative Test: log Kow -0.75 Duration: Data not available Notes: Data not available

12.4. Mobility in soil

- Data not available
- 12.5. Results of PBT and vPvB assessment
- vPvB Substances: None PBT Substances: None
- 12.6. Other adverse effects

None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
  - Recover if possible. In so doing, comply with the local and national regulations currently in force.
  - Waste should not be disposed of by release to sewers.
  - Contaminated packaging thinners and cleaning diluents must be landfilled.

## SECTION 14: Transport information

14.1. UN number

- Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
  - Data not available
- 14.3. Transport hazard class(es)
  - Data not available

.137/3

14.4. Packing group	
Data not available	
14.5. Environmental hazards	
ADR-Enviromental Pollutant:	No
Data not available	
14.6. Special precautions for user	
Data not available	
14.7. Transport in bulk according to Anne	ex II of Marpol and the IBC Code
Data not available	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

DIR.2004/42/CE. Subcategory b Type BA limit COV 100 g/l. Contained in product < 100 g/l. Regulation (EU) No 528/2012 and subsequent amendments. This product contains biocides. Active ingredients: 2-ottil-2H-isotiazol-3-one 3-iodoprop-2-ynyl N-butylcarbamate (IPBC) Dir. 98/24/EC (Risks related to chemical agents at work). Directive 2000/39/CE (Occupational exposure limit values) and subsequent modifications: 2004/37/CE, 2006/15/CE and 2009/161/UE Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VÓC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):

Data not available

15.2. Chemical safety assessment

No

**SECTION 16: Other information** 

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H302 Harmful if swallowed. H301 Toxic if swallowed.

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients

SECTION 4: First aid measures

SECTION 5: Firefighting measures

SECTION 6: Accidental release measures

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

SECTION 9: Physical and chemical properties

SECTION 10: Stability and reactivity

SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 14: Transport information

SECTION 15: Regulatory information

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

The ECHA database on registered substances.

ESIS- European chemical Substances Information System.

eChemPortal- the global portal to Information on Chemical Substance.

GESTIS substance database.

.137/3 Page n. 6 of 7

Insert furt	her consulted bibliography		
The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product			
indicated and con	stitutes no guarantee of particular quality.		
It is the duty of the	e user to ensure that this information is appropriate and complete with respect to the specific use intended.		
This MSDS cance	els and replaces any preceding release.		
Legend of acrony	ms and abbreviations used in the safety data sheet:		
ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.		
CAS:	Chemical Abstracts Service (division of the American Chemical Society).		
CLP:	Classification, Labeling, Packaging.		
DNEL:	Derived No Effect Level.		
EC50:	Median effective concentration expected to produce a certain effect in 50% of test		
	organisms		
ECHA:	European Chemicals Agency		
EINECS:	European Inventory of Existing Commercial Chemical Substances		
ELINCS:	European List of notified Chemical Substances		
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.		
IATA:	International Air Transport Association.		
IATA-DGR: ICAO:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA). International Civil Aviation Organization.		
ICAO. ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).		
IC50:	Half maximal inhibitory concentration.		
IMDG:	International Maritime Code for Dangerous Goods.		
INCI:	International Nomenclature of Cosmetic Ingredients.		
LC50:	Lethal concentration, for 50 percent of test population.		
LD50:	Lethal dose, for 50 percent of test population.		
LTE:	Long-term exposure.		
NOEC:	No Observed Effect Concentration		
Numero EC:	EINECS and ELINCS Number		
OEL:	Substance with a Union workplace exposure limit.		
PBT:	Persistent, Bioaccumulative and Toxic substance		
PNEC:	Predicted No Effect Concentration.		
REACH:	Regulation (EC) No 1907/2006 Registration, Evaluation, Authorisation and Restriction of		
	Chemicals		
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.		
STE:	Short-term exposure.		
STEL:	Short Term Exposure limit.		
STOT:	Specific Target Organ Toxicity.		
SVHC:	Substances of Very High Concern		
TLV:	Threshold Limiting Value.		
UE: vPvB:	European Union		
VFVD.	Very Persistent and Very Bioaccumulative		